



H-Track

High-voltage track system

Die H-Track-Serie ist ein 220-V-Schienensystem, das mit Strahlern, linearen Leuchten und dekorativen Lichtmodulen kompatibel ist. Es bietet eine maximale Lichtausbeute von 135 lm/W und einen Farbwiedergabeindex (CRI) von 90 und sorgt so für helle Beleuchtung mit naturgetreuer Farbwiedergabe. Zusätzlich ist eine Version mit Drehschalter (mit einstellbarer Farbtemperatur und Leistung) erhältlich, die eine flexible Anpassung der Lichttemperatur an die Bedürfnisse verschiedener Anwendungsszenarien ermöglicht.



Product Overview

Spotlight Modules-High Luminous efficiency



NRSR-80
 ϕ 80*70mm
 25W



NRSR-105
 ϕ 105*90mm
 35W

Spotlight Modules-ECO



NRS-55
 ϕ 55*130mm
 15W



NRS-80
 ϕ 80*130mm
 30W

Spotlight Modules-PRO



NR-45
 ϕ 45*100mm
 8W



NR-62
 ϕ 62*130mm
 10W/15W



NR-73
 ϕ 73*148mm
 20W/25W



NR-90
 ϕ 90*160mm
 30W



NRSL-65
 ϕ 65mm
 14W



NRSL-73
 ϕ 73mm
 24W

Spotlight Modules-Zoom



NRZ-55
 ϕ 55*155mm
 15W



NRZ-65
 ϕ 65*165mm
 25W

Linear Modules



NRFD
 43*105*460mm 22W
 43*105*912mm 44W



NRFP
 43*105*460mm 22W
 43*105*912mm 44W



NRGG
 43*105*460mm 20W
 43*105*912mm 40W



NRD
 ϕ 30*600mm
 14W



NR(A)
 220*85mm
 12W

Decorative Modules



NRHI-30
 ϕ 30*300mm
 7W



NRHIJ-30
 ϕ 30*530mm
 7W



HNRNK-25
 ϕ 25*1000/2500mm
 13W /33W



NRHIB-110
 ϕ 110mm
 5W




NRHIB-110(B)
 ϕ 110mm
 5W

High Luminous Efficiency
130LM/W CRI90



Ultra-Deep Anti-Glare Technology
Protecting Visual Health and Enhancing Long-Term Comfort



45° cut-off angle to guarantee a comfortable
light environment without glare


Comprehensive Optical Accessories

The newly upgraded track light provides a series of integrated accessories: snoot that alter the lamp's appearance, accessories enhancing anti-glare performance such as honeycomb.


High Luminous Efficiency



High Luminous Efficiency
+
Honeycomb



Deep Anti-Glare




Deep Anti-Glare
+
Honeycomb



Glass



Honeycomb



Low anti-glare shield




High anti-glare shield




The Most Complete & Versatile Family of Lighting Solutions

8° Extremely Narrow Beam Angle, 6 Types Of Power




One Light Adapts To Various Applications


Adjustable with 3 power levels and 3 color temperature levels




HTSR-80



Concealed Track-Subtle & Aesthetic
Adjustable Swing Angle - Flexible Light Control



Linear Modules 350° Rotatable, 90° Pivotable




High Luminous Efficacy With Multiple Optical Options

Diffuser
Up to 135LM/W



Prismatic
Up to 130LM/W





Grating
Up to 120LM/W



Track


Ceiling / Pendant track



PRO-04X0

Installation: ceiling/pendant
Material: AL6063-T5
Coating: Black/White
Size: L1000/2000/3000*W35.2
*H35.5mm/

Rated current: 16A
Maximum load: 3500W
Input voltage: AC220V



PRO-06X0

Installation: ceiling/pendant
Material: AL6063-T5
Coating: Black/White
Size: L1000/2000/3000*W35.2
*H35.5mm

Rated current: 16A
Maximum load: 3500W
Input voltage: AC220V

Accessory



Four Left power connector
Model: PRO-0431L
Size: 98*35*35mm



Four / six-wire End cap
Model: PRO-0432
Size: 31*35*35mm



Four wire "I" shape power connector
Model: PRO-0433
Size: 68*21*35mm



Four-wire L connector
Model: PRO-0435L
Size: 100*100*35mm



Six Left power connector
Model: PRO-D631L
Size: 139*35*35mm



Six wire "I" shape power connector
Model: PRO-D633
Size: 107*21*35mm



Six-wire L power connector
Model: PRO-D635L
Size: 119*119*35mm



Pendant rod accessory
Model: PRO-EZ0447
Rod length: 1000mm




Pendant rope accessory
Model: PRO-EZ0448
Rope length: 1500mm



Eco Track (4-wire)

Ceiling / Pendant track




ECO-04X0

Installation: ceiling/pendant
 Material: AL6063-T5
 Coating: Black/White
 Size: L1000/2000/3000*W32.3
 *H32.8mm

Rated current: 16A
 Maximum load: 3500W
 Input voltage: AC220V


Accessory




Left power connector
 Model: ECO-0431L
 Size: 99.5*32.8*32.3mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




Right power connector
 Model: ECO-0431R
 Size: 99.5*32.8*32.3mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




I-shape power connector
 Model: ECO-0433
 Size: 70.2*25*31mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




I-shape non-conducting connector
 Model: ECO-0433(A)
 Size: 70.2*25*31mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




L-shape left power connector
 Model: ECO-0435L
 Size: 99.5*99.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




L-shape right power connector
 Model: ECO-0435R
 Size: 99.5*99.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




T-shape left power connector
 Model: ECO-0436L1
 Size: 167*99.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




T-shape right power connector
 Model: ECO-0436R1
 Size: 167*99.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




X-shape power connector
 Model: ECO-0437
 Size: 165.5*165.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




Soft power connector
 Model: ECO-0439
 Size: 274*32.5*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0



Turnable power connector
 Model: ECO-M435
 Size: 227*32*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0




Pendant rod accessory
 Model: ECO-EZ0448
 Size: 2000mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0



End cap
 Model: ECO-0432
 Size: 25.5*33*32mm
 Colors: White/Black
 Applicable track: Four-wire track ECO-04X0

Eco Track (6-wire)


Ceiling / Pendant track




ECO-06X0

Installation: ceiling/pendant
 Material: AL6063-T5
 Coating: Black/White
 Size: L1000/2000/3000*W35
 *H35.7mm

Rated current: 16A
 Maximum load: 3500W
 Input voltage: AC220V




*X*shape power connector
 Model: ECO-0637
 Size: 202*202*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0




Soft power connector
 Model: ECO-0639
 Size: 274*32.5*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0


Accessory




Left power connector
 Model: ECO-0631L
 Size: 117.5*32.8*35mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0




Right power connector
 Model: ECO-0631R
 Size: 117.5*32.8*35mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0




*I*shape Mini power connector
 Model: ECO-0633
 Size: 103.2*35*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0




*I*shape Mini non-conducting connector
 Model: ECO-0633(A)
 Size: 103.2*35*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0



*L*shape left power connector
 Model: ECO-0635L
 Size: 118*118*32mm
 Applicable track: Six-wire track ECO-06X0




*L*shape right power connector
 Model: ECO-0635R
 Size: 118*118*32mm
 Applicable track: Six-wire track ECO-06X0



*T*shape left power connector
 Model: ECO-0636L1
 Size: 202*118*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0



*T*shape right power connector
 Model: ECO-0636R1
 Size: 202*118*32mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0



End cap
 Model: ECO-0632
 Size: 36*32*16mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0



Pendant rod accessory
 Model: ECO-EZ0648
 Size: 2000mm
 Colors: White/Black
 Applicable track: Six-wire track ECO-06X0



nrlicht
Halden 11
CH-5706 Boniswil AG
+41 56 556 28 03
+41 79 199 72 14
info@nrlicht.ch
www.nrlicht.ch

